



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY. STATES AND CITIES OF THE UNITED STATES (untabulated).

CALIFORNIA.—Month of October, 1909. Population, 1,485,053. Total number of deaths from all causes 2,545, including typhoid fever 47, measles 12, scarlet fever 6, diphtheria 19, tuberculosis 375.

San Francisco, city and county.—Month of December, 1909. Population, 475,000. Total number of deaths from all causes 570, including typhoid fever 4, measles 1, diphtheria 6, tuberculosis 69. Cases reported: Typhoid fever 24, smallpox 6, measles 55, scarlet fever 50, diphtheria 51, tuberculosis 136.

FLORIDA—*Pensacola.*—Month of January, 1910. Population, 35,000. Total number of deaths from all causes 4, including typhoid fever 1, tuberculosis 3.

KENTUCKY—*Henderson.*—Month of January, 1910. Population, 17,500. Total number of deaths from all causes 26, including tuberculosis 5. Cases reported: Typhoid fever 3, measles 2, scarlet fever 3, diphtheria 2, tuberculosis 7.

Louisville.—Year, 1909. Population, 204,731. Total number of deaths from all causes 3,783, including typhoid fever 96, measles 3, scarlet fever 21, diphtheria 26, tuberculosis 490.

IOWA—*Davenport.*—Month of January, 1910. Population, 45,000. Total number of deaths from all causes not reported. Diphtheria 1 death, tuberculosis 3 deaths. Cases reported: Typhoid fever 3, scarlet fever 2, diphtheria 11, tuberculosis 5.

MAINE—*Portland.*—Four weeks ended January 8, 1910. Population, 62,000. Total number of deaths from all causes 88, including typhoid fever 1, diphtheria 1, tuberculosis 9. Cases reported: Typhoid fever 5, scarlet fever 1, diphtheria 18.

MARYLAND—*Baltimore.*—Month of November, 1909. Population, 581,000. Total number of deaths from all causes 772, including typhoid fever 10, scarlet fever 1, diphtheria 8, tuberculosis 100. Cases reported: Typhoid fever 61, measles 28, scarlet fever 41, diphtheria 87, tuberculosis (pulmonary) 59.

Month of December, 1909. Total number of deaths from all causes 873, including typhoid fever 9, measles 1, scarlet fever 5, diphtheria 6, tuberculosis 118, pellagra 1. Cases reported: Typhoid fever 66, measles 40, scarlet fever 74, diphtheria 62, tuberculosis (pulmonary) 60.

MICHIGAN.—Month of December, 1909. Population reporting, 2,499,173. Total number of deaths from all causes 2,847, including typhoid fever 47, smallpox 1, measles 8, scarlet fever 37, diphtheria 31, tuberculosis 168.

NEW JERSEY.—Month ended January 10, 1910. Population, 1,883,669. Total number of deaths from all causes 3,045, including typhoid fever 28, measles 22, scarlet fever 29, diphtheria 81, tuberculosis 341.

NORTH CAROLINA.—Reports from the State Board of Health for the month of November, 1909, show typhoid fever present in 43 counties, smallpox in 24 counties, measles in 11 counties, diphtheria in 61 counties, pellagra in 3 counties.

NORTH DAKOTA.—Month of December, 1909. Population, 319,146. Total number of deaths from all causes 219, including typhoid fever 5, scarlet fever 2, diphtheria 1, tuberculosis 1. Cases reported: Typhoid fever 20, smallpox 3, measles 101, scarlet fever 54, diphtheria 55, tuberculosis 3.

OHIO—*Tiffin*.—Month of January, 1910. Population, 10,989. Number and causes of deaths not reported. Cases reported: Typhoid fever 4, measles 1, diphtheria 1.

OKLAHOMA.—Month of November, 1909. Population, 398,331. Total number of deaths from all causes 900, including typhoid fever 117, scarlet fever 1, diphtheria 29, tuberculosis 53. Cases reported: Typhoid fever 520, smallpox 41, scarlet fever 104, diphtheria 216, tuberculosis 122.

PENNSYLVANIA—*Titusville*.—Year, 1909. Population, 8,244. Total number of deaths from all causes 138, including typhoid fever 3, scarlet fever 3, tuberculosis 7. Cases reported: Typhoid fever 13, measles 4, scarlet fever 80, diphtheria 5, tuberculosis (pulmonary) 7.

VIRGINIA—*Richmond*.—Month of December, 1909. Population, 115,701. Total number of deaths from all causes 202, including typhoid fever 1, tuberculosis 20. Cases reported: Typhoid fever 13, smallpox 1, scarlet fever 19, diphtheria 26, tuberculosis 22.